

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 18 | (remov\$3 or exclud\$3) with (alternat\$3 or secondary) with (path or route) with (failed) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/10 17:53 |
| L2 | 18 | (remov\$3 or exclud\$3 or disqualif\$7) with (alternat\$3 or secondary) with (path or route) with (failed) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/10 17:59 |
| L3 | 87 | (reroute or re\$rout\$3) same (loopback) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/10 18:37 |
| L4 | 35 | (reroute or re\$rout\$3) same (loopback) same (fail\$4 or fail\$) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/10 18:37 |
| S1 | 1 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 14:42 |
| S2 | 1 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 14:42 |
| S3 | 137 | (gateway) same (router) same (vector) with (protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 14:43 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S4 | 4 | (gateway) same (router) same (vector) with (protocol) same (optimal) same (path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 14:43 |
| S5 | 4 | (gateway) same (router) same (optimal) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 14:54 |
| S6 | 11 | (gateway) same (router) same (optimal or best) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 14:56 |
| S7 | 523 | (loopback) near4 (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:02 |
| S8 | 8 | (loopback) near4 (address\$2) with (BGP) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:03 |
| S9 | 79 | (loopback) near4 (address\$2) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:06 |
| S10 | 19 | (loopback) near4 (address\$2) same (router) same (path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:06 |
| S11 | 14 | (loopback) near4 (address\$2) same (gateway) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:10 |
| S12 | 1 | (assigned) same (loopback) near4 (address\$2) same (gateway) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:14 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S13 | 15 | (assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:26 |
| S14 | 15 | (assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:39 |
| S15 | 6 | (assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 15:39 |
| S16 | 8 | (assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 17:41 |
| S17 | 39 | 709/238,239.ccls. and (loopback) near4 (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 18:53 |
| S18 | 26 | 709/238,239.ccls. and (loopback) near4 (address\$2) same (rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/10/21 19:01 |
| S19 | 10 | 370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:19 |
| S20 | 0 | 370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:25 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S21 | 6 | (loopback) near4 (address\$2) same (rout\$3) same (RIB) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:25 |
| S22 | 7 | (loopback) near4 (address\$2) same (rout\$3 or path) same (reachability) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:30 |
| S23 | 0 | (loopback) near4 (address\$2) same (status) same (reachability) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:31 |
| S24 | 29 | (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:31 |
| S25 | 21 | Rout\$4 and (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:37 |
| S26 | 41 | BGP same (loopback) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:38 |
| S27 | 5 | "594461".ap. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/02/19 09:55 |
| S28 | 296 | loopback adj address | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 18:46 |
| S29 | 31 | loopback adj address and (RIB) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 18:54 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S30 | 1 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S31 | 1 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S32 | 150 | (gateway) same (router) same (vector) with (protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S33 | 4 | (gateway) same (router) same (vector) with (protocol) same (optimal) same (path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S34 | 4 | (gateway) same (router) same (optimal) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S35 | 14 | (gateway) same (router) same (optimal or best) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S36 | 574 | (loopback) near4 (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S37 | 10 | (loopback) near4 (address\$2) with (BGP) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S38 | 89 | (loopback) near4 (address\$2) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S39 | 23 | (loopback) near4 (address\$2) same (router) same (path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S40 | 15 | (loopback) near4 (address\$2) same (gateway) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S41 | 1 | (assigned) same (loopback) near4 (address\$2) same (gateway) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S42 | 17 | (assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S43 | 17 | (assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S44 | 6 | (assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S45 | 10 | (assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |

| | | | | | | |
|-----|-------|---|---|----|----|---------------------|
| S46 | 10942 | 709/238,239.ccls. and (loopback) near4 (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S47 | 10593 | 709/238,239.ccls. and (loopback) near4 (address\$2) same (rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S48 | 11 | 370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S49 | 0 | 370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RI B) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S50 | 7 | (loopback) near4 (address\$2) same (rout\$3) same (RI B) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S51 | 8 | (loopback) near4 (address\$2) same (rout\$3 or path) same (reachability) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S52 | 0 | (loopback) near4 (address\$2) same (status) same (reachability) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S53 | 29 | (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S54 | 21 | Rout\$4 and (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S55 | 42 | BGP same (loopback) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S56 | 6 | "594461".ap. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/04/10 19:22 |
| S57 | 1 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S58 | 2 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S59 | 165 | (gateway) same (router) same (vector) with (protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S60 | 4 | (gateway) same (router) same (vector) with (protocol) same (optimal) same (path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S61 | 4 | (gateway) same (router) same (optimal) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S62 | 15 | (gateway) same (router) same (optimal or best) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S63 | 624 | (loopback) near4 (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S64 | 15 | (loopback) near4 (address\$2) with (BGP) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S65 | 102 | (loopback) near4 (address\$2) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S68 | 1 | (assigned) same (loopback) near4 (address\$2) same (gateway) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S69 | 20 | (assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S70 | 20 | (assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S71 | 7 | (assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S72 | 11 | (assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S75 | 12 | 370/249.cds. and (loopback) near4 (address\$2) same (rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S76 | 0 | 370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RIB) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S79 | 0 | (loopback) near4 (address\$2) same (status) same (reachability) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S80 | 36 | (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S81 | 26 | Rout\$4 and (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S82 | 49 | BGP same (loopback) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S83 | 6 | "594461".ap. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S84 | 325 | loopback adj address | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S86 | 1 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) same (loopback) same (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S87 | 2 | (gateway) same (router) same (vector) with (protocol) same (route) same (optimiz\$7) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S88 | 165 | (gateway) same (router) same (vector) with (protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S89 | 4 | (gateway) same (router) same (vector) with (protocol) same (optimal) same (path) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S90 | 4 | (gateway) same (router) same (optimal) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S91 | 15 | (gateway) same (router) same (optimal or best) same (path or route) same (converg\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S92 | 624 | (loopback) near4 (address\$2) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S93 | 15 | (loopback) near4 (address\$2) with (BGP) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S94 | 102 | (loopback) near4 (address\$2) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S97 | 1 | (assigned) same (loopback) near4 (address\$2) same (gateway) same (router) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S98 | 20 | (assigned) same (loopback) near4 (address\$2) and (gateway) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |

| | | | | | | |
|------|----|---|---|----|----|---------------------|
| S99 | 20 | (assigned) same (loopback) near4 (address\$2) and (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S100 | 7 | (assigned) same (loopback) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S101 | 11 | (assigned) same (loopback or unnumbered) near4 (address\$2) and (border) with (gateway or BGP) same (router) same (path or rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S104 | 12 | 370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S105 | 0 | 370/249.ccls. and (loopback) near4 (address\$2) same (rout\$3) same (RI B) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S108 | 0 | (loopback) near4 (address\$2) same (status) same (reachability) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S109 | 36 | (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S110 | 26 | Rout\$4 and (loopback) near4 (address\$2) same (status) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |

| | | | | | | |
|------|----|------------------------|---|----|----|---------------------|
| S111 | 49 | BGP same (loopback) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |
| S112 | 6 | "594461".ap. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2009/10/09 19:34 |

10/ 10/ 2009 7:30:57 PM**C:\ Documents and Settings\ abilgrami\ My Documents\ EAST\ Workspaces\ 10670940.wsp**